

Eye/Face Wash and Shower Units – Concealed Drain

Units are designed for general laboratory applications. They are typically installed in laboratory rooms or service corridors. Units have an internal drain connection within the stainless steel cabinet. The eye/face wash drain is connected within the wall to the building drainage system.


SSBF2150

Recessed Safety Station with Drain Pan, Exposed Shower Head


SSBF2160

Recessed Safety Station with Drain Pan, Recess Mounted Shower Head


SSBF2170

Recessed Safety Station with Drain Pan, Wall Mounted Exposed Shower Head

Eye/Face Wash and Shower Units – Daylight Drain

Units drain through a port in the front face of the unit. Waste water from the eye/face wash drains onto the floor in front of the unit. These units are used when it is preferable not to connect the eye/face wash drain to the building drainage system.


SSBF2152

Recessed Safety Station with Drain Pan and Daylight Drain, Exposed Shower Head


SSBF2162

Recessed Safety Station with Drain Pan and Daylight Drain, Recess Mounted Shower Head


SSBF2172

Recessed Safety Station with Drain Pan and Daylight Drain, Wall Mounted Exposed Shower Head

Eye/Face and Shower Unit – Surface Mounted

Unit is surface mounted on the face of the wall rather than being recessed into the wall. This unit is advantageous when mounting on a CMU or masonry wall, or where the unit is being retrofitted into an existing building.




SSBF2173

Recessed Safety Station with Drain Pan, Surface Mounted

Eye/Face Wash and Shower Units – Concealed Drain

Units are designed for installation on 1- or 2-hour fire-rated wall. The stainless steel cabinet is itself fire-rated so that the unit maintains the integrity of the fire rating of the wall.



SSBF2352

Recessed Safety Station with Exposed Shower Head, Drain Pan and Daylight Drain, Fire-Rated Construction



SSBF2362

Recessed Safety Station with Recess Mounted Shower Head, Drain Pan and Daylight Drain, Fire-Rated Construction



SSBF2372

Recessed Safety Station with Wall Mounted Exposed Shower Head, Drain Pan and Daylight Drain, Fire-Rated Construction

Eye/Face Wash and Shower Units – Cleanroom Construction

Units are designed and manufactured for cleanroom applications. Units are completely sealed so that they may be used in clean environments.



SSBF2452

Recessed Safety Station with Exposed Shower Head, Drain Pan and Daylight Drain, Cleanroom Construction



SSBF2462

Recessed Safety Station with Recess Mounted Shower Head, Drain Pan and Daylight Drain, Cleanroom Construction



SSBF2472

Recessed Safety Station with Wall Mounted Exposed Shower Head, Drain Pan and Daylight Drain, Cleanroom Construction

Emergency Shower Units



ESBF670

Recessed Emergency Shower Exposed Shower Head



ESBF671

Recessed Emergency Shower Recess Mounted Shower Head



ESBF672

Recessed Emergency Shower Wall Mounted Exposed Shower Head

Eye/Face Wash and Shower Units – Concealed Drain

Units are designed for general laboratory applications. They are typically installed in laboratory rooms or service corridors. Units have an internal drain connection within the stainless steel cabinet. The eye/face wash drain is connected within the wall to the building drainage system.



FEBF735DP

Swing-Down Eye/Face Wash
with Drain Pan, Recess Mounted



FEBF735FDP

Swing-Down Eye/Face Wash
with Drain Pan, Recess Mounted,
Daylight Drain